# American Standard

# Available Trim Kits Colony Hampton Standard Town Square Enfield Amarilis Amarilis

R110 Valve Body Shown

### **GENERAL DESCRIPTION:**

Cast brass body, washerless ceramic disc valve cartridge with back-to-back capability and hot limit safety stop. Cycles from "off" to "cold" to "hot". Pressure balancing cartridge maintains constant output temperature in response to changes in relative hot and cold supply pressure. One-half inch inlets and outlets (choice of direct sweat or threaded). Available with screwdriver stops. Rough-in plaster guard designed for use as thin-wall mounting adaptor. Valve body will accept a variety of decorative Bath/Shower trims.

### PRODUCT FEATURES:

**Cast Brass Valve Body:** Durable - Quality that will last a lifetime. Ideal material for prolonged contact with water.

**Ceramic Disc Valve Cartridge:** Assures a lifetime of dripfree performance. Allows easy fine tuning of temperature (125°handle rotation from off to hot).

**Pressure Balancing Valve Cartridge:** Maintains constant output temperature in response to changes in hot and cold supply pressure. Diaphragm system engineered to eliminate cross flow. Avoids failure due to mineral deposits - ideal for use in hard water

**Back-to-Back Capability:** Hot and cold can be reversed quickly and easily.

**Adjustable Hot Limit Safety Stop:** Limits the amount of hot water allowed to mix with cold. Reduces the risk of accidental scalding.

**Exclusive Plaster Guard:** Plaster guard is designed to protect valve during installation and serve as a mounting plate for thin-wall installations. 2 piece design allows valve to be tested prior to trim installation.

Wide Rough-in Range: From 1-5/8" to 3-1/4".

# *UPGRADABLE*

PRESSURE BALANCE BATH/SHOWER FITTING Temperature Control Valve

### **MODEL NUMBER:**


- R110 Pressure Balance Rough Valve Body only Direct sweat inlets/outlets. LESS trim.
- R110SS Pressure Balance Rough Valve Body only with Screwdriver stops

Direct sweat inlets/outlets. Screwdriver stops. LESS trim.

- R115 Pressure Balance Rough Valve Body only Female thread inlets/outlets. LESS trim.
- R115SS Pressure Balance Rough Valve Body only with Screwdriver stops

Female thread inlets/outlets. Screwdriver stops. LESS trim.

See reverse for available trim kits.



### SUGGESTED SPECIFICATION:

Bath/shower fitting shall feature a cast brass body. Shall feature ceramic disc valve cartridge which is capable of back-to-back installation. Fitting shall be equipped with pressure balancing cartridge engineered to eliminate cross flow and avoid failure due to mineral deposits. Shall also feature hot limit safety stop. Fitting shall be: Rough Valve Body - American Standard Model # R11 \_\_\_\_\_, Trim Kit - American Standard Model # \_\_\_\_\_.

© American Standard Inc. 2003



# UPGRADABLE

PRESSURE BALANCE BATH/SHOWER FITTING Temperature Control Valve

### **AVAILABLE AS:**

### Valve + Trim: Trim Kit & Valve Body Packaged Separately

To order: Specify valve body and trim kit desired Example: R110 - Direct Sweat Valve Body

T215.701 - Hampton Bath/Shower Trim Kit (Porcelain Cross Handle)


### Complete Product: Valve + Trim Packaged In One Box

To order: Specify complete product number

Example: 7215.701 - Hampton Bath/Shower (Porcelain Cross Handle)

with Direct Sweat Inlets

(0)				
Ü	R110	R110SS	R115	R115SS
VALV	Direct Sweat Inlets/Outlets	Direct Sweat Inlets/Outlets w/ Screwdriver Stops	Female Thread Inlets/Outlets	Female Thread Inlets/Outlets w/ Screwdriver Stops



## **CODES AND STANDARDS**

These products meet or exceed the following codes and standards:

ANSI A 117.1 ASSE 1016 ASME A112.18.1M CSA B 125

• Showerhead with 2.5gpm/9.5L.min. flow restrictor.

		Colony*	Hampton**	Standard	Town Square	Enfield****	Amarilis***	Amarilis***
M KITS						63		
잼	B/S	T375.120BP	T215.7XX	T6181	T555.502	T373.5X1	T335.000	T345.000
	Shower	T372.120BP	T212.7XX	T6180	T555.501	T373.5X2	T332.000	T342.000
	Valve	T371.120BP	T211.7XX	T6179	T555.500	T373.5X0	T331.000	T341.000

OR					
			Colony	Hampton	
2	Direct Sweat	B/S	1375.120	7215.7XX	
& TRIM		Shower	1372.120	7212.7XX	
	(R110)	Valve	1371.120	7211.7XX	
PRODUCTVALVE	Direct Sweat w/stops (R110SS)	B/S	1375SS.120	7215SS.7XX	
		Shower	1372SS.120	7212SS.7XX	
CŢ		Valve	1371SS.120	7211SS.7XX	
ODC	Female Threaded (R115) Female Threaded w/stops	B/S	1355.120	7254.7XX	
PR(		Shower	1352.120	7252.7XX	
		Valve	1351.120	7251.7XX	
片		B/S	1355SS.120		
COMPLETE		Shower	1352SS.120		
	(R115SS)	Valve	1351SS.120		

NOTES:												
* COLONY trim kits must be ordered in bulk pack (quantities of 12).  ** HAMPTON available with choice of four handles. to order: specify the three digit handle number ex) T211.701 (valve only trim kit w/ porcelain cross handle)												
<b>33</b>	Porcelain Cross 701 Porcelain Lever 710 Porcelain Cross 720 Porcel											
trim kits	*** AMARILIS trim kits are less handlesmust be ordered separately. the following handle kits are available:											
8	Perfume Bottle 431											
T	Metal Cross 551	A	Metal Lever 541	A	Porcelain Lever 571	<b>O</b>	<b>Lexington</b> 901, 911					
<b>₹</b>	Triune Cross 861  Tendence 871  Ceratop 891											
**** Enfield available with lever or cross handle												
	Lever Handle 50X Cross Handle 52X											
		l .		J								

# TRIM KITS for Temperature Control Valves


Trim Kits for R110, R110SS, R115, R115SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.** 

Trim Kit	Model # Description	Finishes	Roughing-In Dimensions
COLONY	T375.120 BP BATH/SHOWER Trim Kit  Wall escutcheon Lever handle "Easy Clean" Showerhead Shower arm and flange Slip-on Diverter tub spout	.002 Polished Chrome	41mm T0 83mm (1-5/8° T0 3-1/4′) WALL
	T375.240 BP SAME AS ABOVE  • With Metal lever handle		(4*) REF.
	T372.120 BP SHOWER ONLY Trim Kit  Wall escutcheon Lever handle "Easy Clean" Showerhead Shower arm and flange T372.240 BP SAME AS ABOVE With Metal lever handle		178mm (77 REF. 1771mm (6·3/4′) 1880mm (6·3/4′) 152mm (6·3/4′) 152mm (6·3/4′)
	T371.120 BP VALVE ONLY Trim Kit  • Wall escutcheon • Lever handle		457mm (18°) OPTIONAL 25mm (1°)
E	T371.240 BP SAME AS ABOVE  • With Metal lever handle		(5") REF. — TOP OF TUB RIM
	NOTE: Colony must be ordered in	n multiples of 12.	BOTTOM OF TUB
HAMPTON	T215.7XX BATH/SHOWER Trim Kit  Brass wall escutcheon Adjustable brass Showerhead Shower arm and flange Slip-on diverter tub spout  T254.7XX BATH/SHOWER Trim Kit Brass wall escutcheon Adjustable brass Showerhead Shower arm and flange I.P.S. diverter tub spout	.002 Polished Chrome .099 Polished Brass .221 Satin (PVD)/Pol. Chrome mix285 Velvet .287 Velvet/Brass (PVD) mix295 Satin (PVD) .297 Satin/Brass mix. (PVD)	102mm (2-1/4 - 3-1/4)  102mm (4)REF (4)REF (7/4)  104 FOR HEAD (CLEARANCE)
HANDLE OPTIONS	T212.7XX SHOWER ONLY Trim Kit  Brass wall escutcheon Adjustable brass Showerhead Shower arm and flange T211.7XX VALVE ONLY Trim Kit	.299 Pol. Chrome/Brass (PVD) mix.	(15) (15) (175.78) (175.78) (175.78) (175.78)
8 8 E	Brass wall escutcheon     Hampton available with choice of 4 h     To order: specify the 3 digit handle n	umber.	102mm (4) (5.1/8) TOP OF TUB RIM
701 710 Porcelain* Porcelain* Cross Lever	eg: T211.710 = Hampton Valve Only  * NOTE: Porcelain Handles are NOT		lle 💆 OF TUB.
720 730 Metal Cross Metal Lever		,	
STANDARD	T6181 BATH/SHOWER Trim Kit  Metal wall escutcheon Porcelain lever handle 5" adjustable showerhead Cast brass diverter tub spout with I.P.S. connection	T6181 Polished Chrome T6181S Satin (PVD)	FINISHED 57mm · 83mm (2·1/4 · 3·1/4)
	T6180 SHOWER ONLY Trim Kit  Metal wall escutcheon Porcelain lever handle 5" adjustable showerhead	T6180 Polished Chrome T6180S Satin (PVD)	1880mm (7-1/2) REF.  1880mm (74) FOR HEAD CLEARANCE (7-5/8)
	T6179 VALVE ONLY Trim Kit  Metal wall escutcheon Porcelain lever handle	T6179 Polished Chrome T6179S Satin (PVD)	457 (18) OPTIONAL 25mm (4) (4) (5.578) TOP OF TUB RIM

# American Standard

# TRIM KITS for Temperature Control Valves

Trim Kits for R110, R110SS, R115, R115SS, R010, R015 rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.



The above fittings will accept the following Amarilis-Series handles.

Metal Cross	Metal Lever	Porcelain Cross	Perfume Bottle	Metal Cross	Metal Lever	Porcelain Lever	Lexington	Triune Cross	Tendence	Ceratop
451	441	461	431	551	541	571	901 911	861	871	891