



Peruvian Amphora with 54" Premier Hand-Scraped Walnut Blades and Antique Scavo Glass Integrated Light Kit  
 Model . . . . **AM54PR**  
 Blade . . . . **B554P-WAL**  
 Light . . . . **Integrated**

# Amphora


## FEATURES

- Heavy-Duty, 3 Speed Reversible Motor
- 4" and 6" Downrods (Included)
- Limited Lifetime Warranty
- Blades Sold Separately
- Antique White Scavo Glass Integrated Light Kit (1-18W GU24 CFL Included)
- TCS Remote Control (Included)
- TCS Plus Wall Control Available (Optional)
- Dual Mount System, Standard with both Flushmount and Ball Hanger Mounting Systems (Included)

## SPECS

- Blade Sweep Opt. . . . . 44", 52", 54", 56"
- Number of Blades . . . . . 5
- Blade Pitch . . . . . 14°
- Motor Size (MM) . . . . . 188 x 15
- AMPS (HI Speed) . . . . . <1
- Watts (HI Speed) . . . . . 69
- Shipping Wt. (lbs.) . . . . . 26.61
- CU. FT. in Carton . . . . . 2.98
- Airflow\*  
(Cubic Feet Per Minute) . . . . . 5,461
- Airflow Efficiency\*  
(CFM Per Watt) . . . . . 77

## CEILING DROP DIMENSIONS



- A: 4" DR - 16.25"
- A: 6" DR - 18.25"
- C: 13.0"
- E: 8.75"
- F: 12.125"
- H: 13.25"
- B: 4" DR - 15.0"
- B: 6" DR - 17.0"
- D: 5.125"
- G: 4.75"
- I: 9.25"
- DR = Downrod

\*Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.\*

\*Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.\*

