

Ч	Product Specifications for E93772-21SN			
	Job Name:	Job Type:		
		, i		
	Quantity:	Comments		
	•			



E93772-21SN

Starburst 7-Light RapidJack Pendant and Canopy

Finish	Glass/Shade	Product Category
Satin Nickel	Clear/Violet	Multi-Light Pendant

Lamping		Measurements
Number of Bulb(s)	7	Width
Light Type	Xenon	Height
Bulb Type	12V G4	Length
Max Bulb Wattage	20	Extension
Max Fixture Wattage	140	Back Plate Width
Rated Life	±2,000 Hours	Back Plate Heigh
Rated Lumens	±2,240	HCO
Color Temp	±2,900 K	Min Overall Heigl
Bulb(s) Included	Yes	Max Overall Heig
Light Úp/Down	N/A	Hanging Weight
Beam Spread	N/A	Height Adjustable
CRI	N/A	Slope
Photo Cell Included	N/A	Chain Length
Ballast/Driver/Transformer	No	Wire Length
Dimmable	Low Voltage	Canopy Width
	_	Canopy Height

Measurements	
Width	17.00"
Height	4.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	126.50"
Hanging Weight	5.50 lb(s)
Height Adjustable	Yes
Slope	N/A
Chain Length	N/A
Wire Length	120.00"
Canopy Width	17.0"
Canopy Height	2.5"
Canopy Length	N/A

Shipping	
Carton Weight	N/A
Carton Width	N/A
Carton Height	N/A
Carton Length	N/A
Carton Cubic Feet	N/A
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification	Other		Equivalents
Safety Rating	Dry UPC Code	845094056041	Incandescen

Material

Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No

6041	Incandescent Watts	N/A
N/A	Fluorescent Watts	N/A

ET2 Contemporary Lighting and all designs, logos and images © 2014 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.