


C Trim, Thermostat with Volume Control and Diverter

04221XX0



Product Features

- Thermostatic temperature control
- Volume control and diverter for two outlets
- 100° F safety stop
- Flow rate 8 gpm @ 44 psi

Code Compliance

This unit meets or exceeds the following:

- ASME A112.18.1 / CSA B125.1
- ASSE 1016
- Listed by IAPMO
- Approved for use in Massachusetts

Available Finishes


Chrome	04221000
Oil Rub Bronze	04221620
Brushed Nickel	04221820
Polished Nickel	04221830
Rubbed Bronze	04221920

Required Accessories

iBox Universal Plus	01850181
---------------------	----------

Optional Accessories

Shallow extension set	13596XX0
-----------------------	----------



The measurements shown are for reference only.

Products and specifications shown are subject to change without notice.

Specification sheet revised 8/2010


hansgrohe

Raindance C 150 AIR 3-Jet Showerhead

28471xx1

AIR
POWER

QUICK
CLEAN



Product Features

- Oversized spray face
- AIR injection technology
- Three spray modes: Rain AIR, Balance AIR, Whirl AIR
- 1/2" female inlet
- 86 no-clog spray channels
- 2.5 GPM


Code Compliance

This unit meets or exceeds the following:

- ASME A112.18.1 / CSA B125.1
- Listed by IAPMO

Available Finishes

Chrome	28471001
Oil Rub Bronze	28471621
Brushed Nickel	28471821
Polished Nickel	28471831
Rubbed Bronze	28471921
Polished Brass	28471931



The measurements shown are for reference only.

Products and specifications shown are subject to change without notice.

Specification sheet revised 10/2010


hansgrohe

Raindance C 100 AIR 3-Jet Handshower

28548xx1

AIR
POWER

QUICK
CLEAN



Product Features

- Oversized spray face
- AIR injection technology
- Three spray modes: Rain AIR, Balance AIR, Whirl AIR
- 65 no-clog spray channels
- 2.5 GPM


Code Compliance

This unit meets or exceeds the following:

- ASME A112.18.1 / CSA B125.1
- Listed by IAPMO

Available Finishes

Chrome	28548001
Oil Rub Bronze	28548621
Brushed Nickel	28548821
Polished Nickel	28548831
Rubbed Bronze	28548921
Polished Brass	28548931




The measurements shown are for reference only.

Products and specifications shown are subject to change without notice.

Specification sheet revised 10/2010

hansgrohe




Product Features

- 1/2" male inlet
- Includes escutcheon
- Not for use with oversized or square showerheads

Available Finishes

Chrome	27411003
Oil Rubbed Bronze	27411623
Brushed Nickel	27411823
Polished Nickel	27411833
Rubbed Bronze	27411923
Polished Brass	27411933




Optional Accessories

C Escutcheon for standard showerarm	04068XX0
-------------------------------------	----------

The measurements shown are for reference only.

Products and specifications shown are subject to change without notice.

Specification sheet revised 1/2009




Product Features

- Holder is angle adjustable, moves up and down, pivots left and right
- Knob with finger grip for easy slide adjustment
- Includes 63" Sensoflex hose

Available Finishes



Chrome	27617000
Oil Rub Bronze	27617620
Brushed Nickel	27617820
Polished Nickel	27617830
Rubbed Bronze	27617920
Polished Brass	27617930



The measurements shown are for reference only.

Products and specifications shown are subject to change without notice.

Specification sheet revised 6/2009



Product Features

- 1/2" NPT female inlet
- Fits all 1/2" handshower hoses

Code Compliance

This unit meets or exceeds the following:

- ASME A112.18.1
- CSA B125.1
- Listed by IAPMO
- Approved for use in Massachusetts

Available Finishes

Chrome	16884001
Oil Rubbed Bronze	16884621
Brushed Nickel	16884821
Polished Nickel	16884831
Rubbed Bronze	16884921
Polished Brass	16884931

Optional Accessories

External vacuum breaker	06510XX1
-------------------------	----------

The measurements shown are for reference only.

Products and specifications shown are subject to change without notice.

Specification sheet revised 5/2009