

#### Features


- Acrylic
- Left or right drain
- Integral apron
- Integral tile flange
- Slotted overflow for maximum bathing depth
- Low threshold height
- Integral lumbar support
- Armrests
- 72" (1829 mm) x 36" (914 mm) x 19" (483 mm)

## **Codes/Standards Applicable**

Specified model meets or exceeds the following:

- ADA
- CSA B45.5/IAPMO Z124
- ICC/ANSI A117.1
- ASTM E162
- ASTM E662

# ARCHER™ 6' BATH WITH INTEGRAL APRON K-1125-LA ALSO K-1125-RA



# **Colors/Finishes**

- 0: White
- Other: Refer to Price Book for additional colors/finishes

#### Accessories:

- 0: White
- CP: Polished Chrome
- Other: Refer to Price Book for additional colors/finishes

## **Specified Model**

Model	Description	Cc	Colors/Finishes	
K-1125-LA	Bath with integral apron, left drain	0 🗆	Other	
K-1125-RA	Bath with integral apron, right drain	• •	Other	
Required Acc	essories			
K-7271	Clearflo slotted overflow brass bath drain OR	🗆 CP	Other	
K-7272	Clearflo slotted overflow bath drain - PVC pipe	□ CP	Other	
Optional Accessories				
K-9529	Removable bath seat		0	

#### **Product Specification:**

The acrylic bath with integral apron shall be 72" (1829 mm) in length, 36" (914 mm) in width, and 19" (483 mm) in height. Bath shall have left or right drain. Bath shall have slotted overflow for maximum bathing depth, low threshold height, and integral lumbar support. Bath shall have integral apron and integral tile flange. Bath shall have armrests. Bath shall be Kohler Model K-1125-\_\_\_\_\_-

# ARCHERTM

### **Technical Information**

Fixture*:			
Bathing well			
Basin area bottom	51-3/8" (1304 mm) x 21" (533 mm)		
Basin area top	64-1/2″ (1638 mm) x 30-1/2″ (775 mm)		
Weight	80 lbs (36.3 kg)		
To overflow			
Water depth	15″ (381 mm)		
Capacity	72 gal (273 L)		
* Approximate measurements for comparison only.			

### **Installation Notes**

Install this product according to the installation guide.

Floor support under this product must provide for a minimum of 40 lbs/square foot (192 kg/square meter) loading.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.

# No change in measurements if connected with drain illustrated. (K-7272)

