

Features


- Brass construction
- Single-hole mounting
- One-piece, self-contained ceramic disc valve allows both volume and temperature control
- Temperature memory allows faucet to be turned on and off at any temperature setting
- High-temperature limit setting for added safety
- 2.2 gpm (8.3 lpm) flow rate
- ADA compliant lever handles
- Asymmetrical design
- Quarter-turn washerless ceramic disc valve for filtered water
- Separate lever handle and filtration inlet hose for cold filtered water
- 12-1/2" (31.8 cm) swing spout
- 7-11/16" (19.5 cm) spout reach

Codes/Standards Applicable

- Specified model meets or exceeds the following:
- ADA
- ASME A112.18.1/CSA B125.1
- IAPMO/cUPC
- NSF 61
- Energy Policy Act of 1992

KITCHEN FAUCET WITH WATER FILTRATION FEATURE **K-18865**

CARAFETM



Colors/Finishes

- CP: Polished Chrome
- Other: Refer to Price Book for additional colors/finishes

Accessories:

NA: None applicable

Specified Model

Model	Description	Colors/Finishes	
K-18865	Kitchen faucet with water filtration feature	□ CP	General Other
Recommended Accessories			
K-200	Aquifer™ water filtration system		🗅 NA

Product Specification


The kitchen faucet for single-hole mounting shall be of brass construction. Faucet shall feature a high-temperature limit stop for added safety. Faucet shall feature quarter-turn washerless ceramic disc valve for filtered water. Faucet shall feature a flow rate of 2.2 gpm (8.3 lpm), 12-1/2" (31.8 cm) swing spout, and 7-11/16" (19.5 cm) spout reach. Faucet shall have a temperature memory allowing the faucet to be turned on and off at any temperature setting. Faucet shall have a one-piece, self-contained ceramic disc valve which allows both volume and temperature control. Faucet shall feature ADA compliant lever handles. Faucet shall feature an asymmetrical design and separate lever handle and filtration inlet hose for cold filtered water. Faucet shall be Kohler Model K-18865-_____.

CARAFETM

Installation Notes

Install this product according to the installation guide.

This product is not for use with instant hot water systems.



Product Diagram

