

Jade Taupe

The striking vein patterns and intriguing color segues of Oriental slate, smoothed like a gemstone, meld with modern or traditional settings.

It's simple to build on this rich stratum with reflective trims of glass, metal or stone.









Floor: Jade Taupe 20"x20" - Jade Taupe Mosaic - Square 2"x2" (Deco: FD11 Bronze Deco, FD13 Bronze Corner)



Jade Ochre

Simple to clean, the satiny surface is wonderful to walk on barefoot and ideal for both floor and wall treatments.










Jade Sage

Comfortable playing either a starring or supporting role, multiple sizes coupled with vastly ranged colors bring richness to residential as well as hospitality, entertainment and retail environments.





Floor: Jade Sage 13"x13" Wall: Jade Sage 20"x20"



Jade Chestnut

Softened, burnished to a lustrous finish, the natural slate tones are muted, yet retain the effect of distinct clefts, mineral deposits and sense of layered color.



Floor: Jade Chestnut 13"x13" Wall: Jade Chestnut 6½"x 6½"



Jade floor and wall tile - glazed porcelain tile



Jade Taupe



UE3H Jade Taupe 20"x20"



UE3D Jade Taupe 13"x13"



UE4U Jade Taupe 6½"x6½"



UE3F Jade Ochre 20"x20"



UE3B Jade Ochre 13"x13"



UE4S Jade Ochre 6½"x6½"



UE44 Jade Taupe Mosaic - Square 2"x2" 13"x13"



UE48 Jade Taupe Mosaic - Brick 1"x2" 13"x13"



UE4Y Jade Taupe Mosaic - Square 1"x1" 13"x13"



UE42 Jade Ochre Mosaic - Square 2"x2" 13"x13"



UE46 Jade Ochre Mosaic - Brick 1"x2" 13"x13"



UE4W Jade Ochre Mosaic - Square 1"x1" 13"x13"



UE3N Jade Taupe SBN 3"x13"



UE3K Jade Ochre SBN 3"x13"

ASTM Test Results

Technical Characteristics	ASTM Test Results	ASTM Test Methods
Water Absorption	≤ 0.50%	C373
Frost Resistance	Resistant	C1026
Scratch Resistance	7	MOHS Scale
Breaking Strength	≥ 420 lbs. (190 kg)	C648
Facial Dimension	≤3% from nominal	C499
Nominal Thickness	≤ 0.04 in. (1mm)	C499
Wedging (squareness)	≤ 1%	C502
Warpage (flatness)	≤ 1% any Edge	C485
Dry Coefficient of Friction	≥ 0.70	C1028
Wet Coefficient of Friction	≥ 0.60	C1028
Durability Classification*	Class 4	C1027

^{*} Durability Classification / Suggested Applications Class 4 Moderate / Heavy traffic: Tile suggested for residential, medium commercial and light institutional floor and wall applications










0.7 C.O.F. (Dry)

M	Mα	dul	ar	Til





Trim Available

Frost Resistant

Meets ADA Recommendations



Jade Sage



UE3G Jade Sage 20"x20"



UE3C Jade Sage 13"x13"



UE4T Jade Sage 6½"x6½"





UE3E Jade Chestnut 20"x20"



UE3A Jade Chestnut 13"x13"



UE4R Jade Chestnut 6½"x6½"



UE43 Jade Sage Mosaic - Square 2"x2" 13"x13"



UE47 Jade Sage Mosaic - Brick 1"x2" 13"x13"



UE4X Jade Sage Mosaic - Square 1"x1" 13"x13"



UE4Z Jade Chestnut Mosaic - Square 2"x2" 13"x13"



UE45 Jade Chestnut Mosaic - Brick 1"x2" 13"x13"



UE4V Jade Chestnut Mosaic - Square 1"x1" 13"x13"



UE3M Jade Sage SBN 3"x13"



UE3J Jade Chestnut SBN 3"x13"

144642200	Sizes	Pcs	Sq. Ft.	Weight (lbs.)	Thickness
Modular Tile	6½"x 6½"	36	10.55	42	0.335
Field Tile	13"x13"	15	17.85	73	0.335
Field Tile	20"x20"	6	16.15	84	0.433
Mosaic - Square 1"x1"	13"x13"	10		33	Compatible
Mosaic - Brick 1"x2"	13"x13"	10		36	Compatible
Mosaic - Square 2"x2"	13"x13"	10		39	Compatible
SBN	3"x13"	30		28	Compatible

100120	Sizes	Ctn	Sq. Ft.	Weight (lbs.)
Modular Tile	6½"x 6½"	51	538.05	2131
Field Tile	13"x13"	42	749.70	3066
Field Tile	20"x20"	24	387.60	2016





JADE is available nationwide. To locate your nearest Distributor call American Marazzi Tile Customer Service or visit www.marazzitile.com

DISTRIBUTED BY:

American Marazzi Tile, Inc.

Telephone Headquarters & Manufacturing Plant 972.226.0110

972.226.5629

359 Clay Road Sunnyvale, Texas 75182 www.marazzitile.com contact@marazzitile.com

Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with American Marazzi Tile Customer Service for details.