

Lighting Your Life Since 1970

Product Specifications - 85165GFCO			
Job Name:	Job Type:		
Quantity:	Comments		



85165GFCO

Balboa VX EE 1-Light Outdoor Wall Mount



Finish Copper Oxide

Lamping

Number of Bulbs 1 **Light Type** Fluorescent **Bulb Type** GU24 Max Bulb Wattage 26 Max Fixture Wattage 26 Rated Life ±10,000 Hours **Rated Lumens** ±1,760 **Color Temp** ±2,700 K Bulb(s) Included Light Up/Down N/A Beam Spread N/A 81-82 **Photo Cell Included** N/A Ballast/Driver/Transformer No Dimmable No

Glass/Shade Golden Frost

Measurements

Width 12.0" Height 17.5" Length N/A Extension 14" **Back Plate Width** 6.0" **Back Plate Height** 11.5" HCO 7.0" Min Overall Height N/A Max Overall Height N/A **Hanging Weight** 8.4 lbs Height Adjustable N/A Slope N/A **Chain Length** N/A Wire Length N/A **Canopy Width** N/A **Canopy Height** N/A **Canopy Length** N/A **Product Category**

Outdoor Wall Mount

Shippina

Jilippilig	
Carton Weight	8.4 lbs
Carton Width	17"
Carton Height	14"
Carton Length	25"
Carton Cubic Feet	3.50
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification	Oth
Safety Rating We	t UPC
Energy Star Yes	Sha
CA Title 24 Yes	Crys
CA Title 20 No	Diff
ADA No	Con
Dark Sky N/A	Mat

ier	E	: 0	1

Other	
UPC Code	783209074248
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Vivex

_						_
	ıu	IV	aı	0	n	te.
	gu.	1 V	uı	•	ш	

Incandescent Watts	160
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.