

Lighting Your Life Since 1970

Product Specificat	tions - 11092SVOI
Job Name:	Job Type:
Quantity:	Comments



11092SVOI

N/A

Bel Air 2-Light Pendant

Finish Oil Rubbed Bronze

Glass/Shade Soft Vanilla

Canopy Length

Product Category

Island Pendant

Lamping

Number of Bulbs	2
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	200
Rated Life	±2,500 Hours
Rated Lumens	±2,300
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Measurements	
Width	13.0"
Height	48.0"
Length	30.5"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	10.2 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	180"
Canopy Width	N/A
Canopy Height	N/A

	Shipping	
"	Carton Weight	10.2 lbs
"	Carton Width	16
"	Carton Height	11
١	Carton Length	23
1	Carton Cubic Feet	2.4
١	Master Pack	•
١	Master Pack Weight	N/A
١	Master Pack Width	N/A
١	Master Pack Height	N/A
3	Master Pack Length	N/A
1	Master Cubic Feet	N/A
١	UPS Shippable	Yes

_				
(,0	rtifi	~2	***	n
CE	, ,,,,	u	uν	,,,

Certification		Other	
Safety Rating	Dry	UPC Code	783209007437
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Steel

Equivalents	
Incandescent Watts	

Fluorescent Watts

N/A

N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the
right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from
what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.