

Lighting Your Life Since 1970

Product Specifications - 39865PCPC			
Job Name:	Job Type:		
Quantity:	Comments		



39865PCPC

Dew 9-Light Flush Mount Chandelier

Finish Glass/Shade **Product Category** Polished Chrome Flush Mount Chandelier Polish Chrome

	2	m	n	ın	\sim
ᆫ	а	,,,,	u		u

Lamping	
Number of Bulbs	9
Light Type	LED
Bulb Type	GU10 MR16
Max Bulb Wattage	4
Max Fixture Wattage	36
Rated Life	±40,000 Hours
Rated Lumens	±2,250
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

measurements	
Width	31.5"
Height	72.0"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	N/A
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shinning

Snipping	
Carton Weight	N/A
Carton Width	0"
Carton Height	0"
Carton Length	0"
Carton Cubic Feet	N/A
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	

Certification Other **Equivalents**

00040		0 (1101		=94174101160	
Safety Rating	Dry	UPC Code	783209098022	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Glass		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.