

Lighting Your Life Since 1970

Product Specifications - 86924BK		
Job Name:	Job Type:	
Quantity:	Comments	



86924BK

1-Light Outdoor Wall Mount



Finish Black

Lamping

Glass/Shade Frosted

Product Category

Outdoor Wall Mount

Number of Bulbs 1 **Light Type** Fluorescent **Bulb Type** GU24 Max Bulb Wattage 13 Max Fixture Wattage 13 **Rated Life** ±10,000 Hours **Rated Lumens** ±900 **Color Temp** ±2,700 K Bulb(s) Included Light Up/Down N/A **Beam Spread** N/A 81-82 **Photo Cell Included** N/A

Measurements	
Width	5.50"
Height	8.50"
Length	N/A
Extension	7"
Back Plate Width	4.50"
Back Plate Height	4.50"
НСО	2.50"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	1.56 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping	
Carton Weight	1.56 lbs
Carton Width	6"
Carton Height	10"
Carton Length	8"
Carton Cubic Feet	0.29
Master Pack	6
Master Pack Weight	14.32 lbs
Master Pack Width	16.53"
Master Pack Height	11.22"
Master Pack Length	19.29"
Master Cubic Feet	2.07
UPS Shippable	Yes

_	-4:5:	4:
	rtifica	TINN
-	, ciiiou	

Dimmable

Ballast/Driver/Transformer

Certification		Other	
Safety Rating	Wet	UPC Code	783209099852
Energy Star	Yes	Shades Included	N/A
CA Title 24	Yes	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Die Cast Aluminum

No

No

₽q	uıv	⁄aI	en	ts

Incandescent Watts	82
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.