



Job Name:

Job Type:

Comments:

Quantity:

Product Number: 11083LE

Dimensions:



Diameter: 4 5/16"

Switch Type: N/A

Length: 11 7/16"

Mounting Proc.: Other

Height: 5 11/16"

Bulbs:

- 1 - G24q-3 4 - Pin 26w max 120v - Not included
- 1 - G24q-3 4 - Pin 26w max 120v - Not included
- 1 - G24q-3 4 - Pin 26w max 120v - Not included
- 1 - G24q-3 4 - Pin 26w max 120v - Not included
- 1 - G24q-3 4 - Pin 26w max 120v - Not included
- 1 - G24q-3 4 - Pin 26w max 120v - Not included

Material List:

1 Housing - Steel - Raw Steel

Safety Listing:

cUL Listed for Damp Locations / Non-IC

Instruction Sheets

English (HC-1346)

11083LE - Non-IC 4: Fluorescent Housing

Non-IC 4" Fluorescent Housing
Accommodates 26w bulb

Trims: 1162AT, 1152AT, 1153AT, 1156AT, 11091AT, 11092AT

Safe, Thermally Protected, For Damp Locations: Non-IC housings are approved for use where insulation is kept at least 3" away from housing.

Easy Access Housing: Housing removable for easy access to junction box.

Safe, Thermally Protected: Thermal protector safeguards against overheating caused by improper insulating and overlamping.

Easy Installation: Provided with mounting clips for fast, easy installation.

Trouble-Free Ballast: Provided with integral ballast offering years of trouble-free operation.

Time-Saving Junction Box Design: Junction box saves installation time with snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in 2-out #12 wire.

UPC #: 785652110856

Product Type: Recessed
Light

Features:

Energy Star Compliant

Fluorescent

Title 24

Trim



[11091AT-15](#)

4" Wall Wash Trim

White Steel Baffle
 White Aluminum Reflector
 White Steel Trim
 Maximum Wattage:
 26w 4 - Pin



[11092AT-15](#)

4" Shower Trim

Frosted Glass Glass
 White Aluminum Reflector
 White Aluminum Trim
 Maximum Wattage:
 26w 4 - Pin
 Suitable For Shower Light



[1152AT-15](#)

Recessed Trim

Frosted Glass Glass
 Polished Aluminum Aluminum
 Reflector
 White Steel Trim
 Maximum Wattage:
 26w 4 - Pin
 Suitable For Shower Light



[1153AT-15](#)

Recessed Trim

Clear Glass Glass
 Polished Aluminum Aluminum
 Reflector
 White Steel Trim
 Maximum Wattage:
 26w 4 - Pin
 Suitable For Shower Light



[1156AT-14](#)

Recessed Trim

White Trim / Baffle Steel
 Baffle
 White Steel Trim
 Maximum Wattage:
 26w 4 - Pin



[1156AT-15](#)

Recessed Trim

Black Steel Baffle
 White Steel Trim
 Maximum Wattage:
 26w 4 - Pin



[1162AT-14](#)

Recessed Trim

White Trim / Baffle Aluminum
 Aluminum Multiplier
 White Aluminum Trim
 Maximum Wattage:
 26w 4 - Pin



[1162AT-172](#)

4" Multiplier Trim

Antique Bronze - White
 Aluminum Reflector
 White Steel Trim
 Maximum Wattage:
 26w 4 - Pin



[1162AT-19](#)

Recessed Trim

Metallic Gold Aluminum
 Baffle
 White Aluminum Trim
 Maximum Wattage:
 26w 4 - Pin



[1162AT-22](#)

Recessed Trim

Polished Aluminum
 Aluminum Baffle
 White Aluminum Trim
 Maximum Wattage:
 26w 4 - Pin



[1162AT-71](#)

4" Multiplier Trim

Antique Bronze Aluminum
 Reflector
 Antique Bronze Steel Trim
 Maximum Wattage:
 26w 4 - Pin



[1162AT-849](#)

4" Multiplier Trim

Satin Nickel Aluminum
 Reflector
 Satin Nickel Steel Trim
 Maximum Wattage:
 26w 4 - Pin



[1162AT-861](#)

4" Multiplier Trim

Satin Nickel - White
 Aluminum Reflector
 White Steel Trim
 Maximum Wattage:
 26w 4 - Pin

Replacement Bulb Data:

| Product # | Type | Base | Watts | Watts Consumed | Volts | Hours | Lumens | Temp (°K) | CRI |
|-----------|------|------|-------|----------------|-------|-------|--------|-----------|-----|
| 97046 | | | 26 | 26 | 120v | 10000 | 1600 | 2700 | |
| 97046 | | | 26 | 26 | 120v | 10000 | 1600 | 2700 | |
| 97046 | | | 26 | 26 | 120v | 10000 | 1600 | 2700 | |
| 97046 | | | 26 | 26 | 120v | 10000 | 1600 | 2700 | |
| 97046 | | | 26 | 26 | 120v | 10000 | 1600 | 2700 | |
| 97046 | | | 26 | 26 | 120v | 10000 | 1600 | 2700 | |

| Shipping Information | | | | | | | | | |
|----------------------|----------|----------------|--------|-------|--------|-------|--------|----------|-----------|
| Package Type | Quantity | UPC | Length | Width | Height | Cube | Weight | UPS Ship | Label |
| Individual | 1 | 785652110856 | 13.25 | 6 | 6 | 0.276 | 4 | Yes | 19 E-6 IP |
| Master Pack | 6 | 10785652110853 | 18.25 | 14 | 6.75 | 0.998 | 27 | | 17 E-2 M |