



Job Name:

Job Type:

Comments:

Quantity:

Product Number: 11129

Dimensions:



Diameter: 5 5/8"

Switch Type: N/A

Height: 5 1/2"

Mounting Proc.: Other

Bulbs:

- 1 - Medium Par30S 50w max 120v - Not included
- 1 - Medium Par30L 75w max 120v - Not included
- 1 - Medium Par30S 50w max 120v - Not included
- 1 - Medium BR-30 65w max 120v - Not included
- 1 - Medium Par30S 75w max 120v - Not included
- 1 - Medium Par30S 50w max 120v - Not included
- 1 - Medium Par30L 35w max 120v - Not included
- 1 - Medium Par30L 35w max 120v - Not included
- 1 - Medium Par30L 35w max 120v - Not included
- 1 - Medium Par30L 75w max 120v - Not included
- 1 - Medium Par30S 50w max 120v - Not included
- 1 - Medium Par30L 75w max 120v - Not included
- 1 - Medium Par30S 50w max 120v - Not included
- 1 - Medium BR-30 65w max 120v - Not included

### 11129 - Shallow Remodel IC Airtight Housing

Remodel IC Airtight Housing

Trims: 11132AT, 11136AT, 11137AT, 11120AT, 11154AT, 11135AT, 11134AT, 11155AT, 11151AT, 11140AT

Airtight Construction: Meets airtight requirements for 2.0 CFM or less air leakage.

Safe- Thermally Protected/Listed for Damp Location: IC housing is approved for use in direct contact with insulation.

Easy Access Housing: Housing removable for easy access to junction box.

Sealed Trim: One piece sealed trims. No light leaks.

Snap-In Socket: Snap in socket locates lamp in optimum position.

Time Saving Junction Box Design: Junction box saves installation time with snap-on covers, pry-out knock outs, riveted ground wire, and through-circuit wiring, with 2-in, 2-out #12 wire.

Easy Installation: Provided with mounting clips for fast, easy installation.

Airtight Construction: Meets airtight requirements for 2.0 CFM or less air leakage.

UPC #: 785652111297

Product Type: Recessed Light

Finish: Undefined ()

Features:

Title 24

Material List:

1 Housing - Steel/Aluminum - Undefined

Safety Listing:

cUL Listed for Damp Locations / IC  
UL Listed for Damp Locations / IC

Instruction Sheets

## Trim



### 11120AT-15

#### 5" Open Trim

White Steel Trim  
Maximum Wattage:  
50w Par30S



### 11132AT-14

#### 5" Multiplier Trim

White Trim / Baffle Aluminum  
Baffle  
White Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30



### 11132AT-172

#### 5" Multiplier Trim

Antique Bronze - White  
Aluminum Baffle  
White Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30



### 11132AT-22

#### 5" Multiplier Trim

Polished Aluminum Aluminum  
Baffle  
White Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30



### 11132AT-71

#### 5" Multiplier Trim

Antique Bronze Aluminum  
Baffle  
Antique Bronze Aluminum  
Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30



### 11132AT-849

#### 5" Multiplier Trim

Satin Nickel Aluminum Baffle  
Satin Nickel Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30



### 11132AT-861

#### 5" Multiplier Trim

Satin Nickel - White Aluminum  
Baffle  
White Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30



### 11134AT-15

#### 5" Shower Trim

Clear Glass Diffuser  
White Aluminum Reflector  
White Aluminum Trim  
Maximum Wattage:  
35w Par30L  
Suitable For Shower Light



### 11135AT-15

#### 5" Shower Trim

Smooth White Glass  
Diffuser  
White Aluminum Reflector  
White Aluminum Trim  
Maximum Wattage:  
35w Par30L  
Suitable For Shower Light



### 11136AT-15

#### 5" Eyeball Trim

White  
White Steel Trim  
Maximum Wattage:  
75w Par30S



### 11137AT-15

#### 5" Regressed Eyeball Trim

White Steel Trim  
Maximum Wattage:  
50w Par30S



### 11151AT-14

#### 5" Baffle Trim

White Trim / Baffle Aluminum  
Baffle  
White Trim / Baffle Aluminum  
Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30



### 11151AT-15

#### 5" Baffle Trim

Black Aluminum Baffle  
White Aluminum Trim  
Maximum Wattage:



### 11154AT-14

#### 5" Open Shower Trim

White Trim / Baffle Aluminum  
Baffle  
White Aluminum Trim



### 11155AT-15

#### 5" Shower Trim

Clear Glass Glass  
White Aluminum Reflector  
White Aluminum Trim

75w PAR30L 50w Par30S 65w BR-30	maximum wattage: 75w Par30L 50w Par30S Suitable For Shower Light	maximum wattage: 35w Par30L Suitable For Shower Light
---------------------------------------	---	---

Shipping Information									
Package Type	Quantity	UPC	Length	Width	Height	Cube	Weight	UPS Ship	Label
Individual	1	785652111297	14	11	7.5	0.668	2.2	Yes	C IP-3
Master Pack	6	10785652111294	22.25	18.75	8.5	2.052	15.6	Yes	A M-1