# **Unilume LED Undercabinet**

920UNDCAB

### 700UCF -LED 1.2



#### **GENERAL PRODUCT INFORMATION:**



This product is suitable for damp locations.

This product can be dimmed with a low-voltage electronic dimmer.

This instruction shows a typical installation.




#### **CAUTION**—**RISK OF FIRE**


This product requires installation by a qualified electrician. Before installing be sure to read all instructions and DISCONNECT POWER TO THE ELECTRICAL BOX.

NOTE: A string of Undercabinet unit connections from a single power source cannot exceed a 600 watt limit.

NOTE: The 18" version is composed of 2 remote phosphor sheets, resulting in a seam where they join.




### Install the Fixture Base




Place and level the unit in the desired position.

2 Mark the two points under the cabinet through the mounting holes.




3 Secure the fixture with the provided mounting screws.

# Install the Splice Box (Optional)




Loosen the center screw on the splice box and remove the cover.




- 2 Feed the flexible conduit and the power lines into the splice box. Secure it with the conduit screw.
- Push the neutral power line wire into the wire connector with the white splice box wires.
- Push the hot power line into the wire connector with the black splice box wire.
- **5** Connect the fixture to a suitable ground in accordance to local electrical code.
- 6 Replace the splice box cover and secure it with the screw.

## Jumper Connectors and Plug-In Wall Feed




 Using the jumper connectors, link Undercabinet units to either or both ends of the Splice Box.

**NOTE:** Remove and/or reuse the decorative connector cover on either end of the Undercabinet unit or Splice Box.



2 Using the Plug-In Wall Feed, plug the Undercabinet unit directly into a wall outlet.





3 Remove the connector cover and use the Jumper Connectors to link multiple Undercabinet units to one another.

## SAVE THESE INSTRUCTIONS!



www.techlighting.com

© 2012 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification. A Generation Brands Company