FRIGIDAIRE.



Width

Depth

Depth With Door Open

24" Stainless Steel Tub Built-In Dishwasher

Dishwasher

Available Products: FDSP4501AS

Available Colors: Stainless Steel

Version: 07/23

Product Specifications

Dishwasher Automatic Temperature Control No China Crystal Yes Detergent Dispenser Yes Energy Saver Yes Filter Material Stainless Steel Heavy Yes Filter Tap Removable Normal Yes Filtered Water 100 % Number of Cycles 5 Hard Food Disposer or Filtration Yes Rinse Only Yes Motor Speeds Multi-Speed Filtered Water Number of Cycles 5 Motor Speeds Multi-Speed Filter Tap Yes Motor Speeds Multi-Speed Filter Tap Peeus Middle Spray Arm Blade Rack Coating Nylon Upper Spray Arm Spray Arm Rack Type Pelux Tub Design Tall Tub Third Level Rack Yes Wash Levels Server				
Automatic Temperature Control No China Crystal or Yes Detergent Dispenser Yes Energy Saver Yes Filter Material Stainless Steel Heavy Yes Filter Trap Removable Normal Yes Filter Water 100 % Number of Cycles 5 Hard Food Disposer or Filtration Yes Rinse Only Yes Motor Speeds Multi-Speed Wes Number of Cycles 5 Mater Speeds Multi-Speed Wes Number of Silverware Basket 1 1 Smart Soil Sensor Yes Number of Silverware Basket 1	Dishwasher		Dishwasher Cycles	
Filter Material Stainless Steel Heavy Yes Filter Trap Removable Normal Yes Filtered Water 100 % Number of Cycles 5 Hard Food Disposer or Filtration Yes Rinse Only Yes Motor Speeds Multi-Speed Pace Setting Capacity 14 Lower Rack Smart Soil Sensor Yes Number of Silverware Basket 1 1 Lower Spay Arm Blade Rack Coating Nylon 1 Middle Spray Arm Bi-Beam Rack Type Deluxe Upper Spray Arm Stainless Steel Third Level Rack Yes Tub Design Tall Tub Third Level Rack Yes Tub Design Tall Tub Third Level Rack Yes Wash System Direct Feed Exterior Exterior Wash Pressure 120 psi Door Type Standard Dishwasher Options Fan Assist Electrical Specifications Yes Headed Dry Yes Yes Yes	Automatic Temperature Control	No		Yes
Filter Trap Removable Normal of Cycles Yes Filter dWater 100 % Number of Cycles 5 Hard Food Disposer or Filtration Yes Rinse Only Yes Motor Speeds Multi-Speed Lower Rack	Detergent Dispenser	Yes	Energy Saver	Yes
Filter Trap Removable Normal of Cycles Yes Filter dWater 100 % Number of Cycles 5 Hard Food Disposer or Filtration Yes Rinse Only Yes Motor Speeds Multi-Speed Lower Rack	Filter Material	Stainless Steel	Heavy	Yes
Rinse Only Yes Rinse Only Yes Motor Speeds Multi-Speed 14 Lower Rack 14 Lower Rack 15 Lower Spray Arm Blade Rack Coating Rack Type Deluxe De	Filter Trap	Removable	Normal	Yes
Multi-Speed Place Setting Capacity 14	Filtered Water	100 %	Number of Cycles	5
Place Setting Capacity	Hard Food Disposer or Filtration	Yes	Rinse Only	Yes
Smart Soil Sensor Yes Number of Silverware Basket 1 Lower Spray Arm Blade Rack Coating Nylon Middle Spray Arm Bi-Beam Rack Type Deluxe Upper Spray Arm Spray Arm Tall Tub Third Level Rack Third Level Rack Yes Tub Dosign Tall Tub Third Level Rack Yes Tub Material Stainless Steel Rack Coating Nylon Wash Levels 5 Nylon Wash System Direct Feed Exterior Wash Pressure 120 psi Door and Handle Design Pocket Dishwasher Options Fan Assist Electrical Specifications Standard Piligh Temperature Yes Voltage Rating 120 V Start/Cancel Yes ADA Compilant No Certifications and Approvals No Ves Control Location Top Safety Certifications and Approvals Yes UL Listed Yes Yes Diall Start Hours 1-24 Hours NSF Certified <t< td=""><td>Motor Speeds</td><td>Multi-Speed</td><td></td><td></td></t<>	Motor Speeds	Multi-Speed		
Blade Rack Coating Nylon Middle Spray Arm Bi-Beam Rack Type Deper Spray Arm Tub Color Stainless Steel Tub Design Tall Tub Tub Material Stainless Steel Wash Levels Safey Water Pressure Direct Feed Water Options Drying System Drying System Leated Dry High Temperature Start/Cancel Yes Start/Cancel Typer Rack Rack Coating Nylon Rack Coating Nylon Rack Coating Nylon Third Level Rack Nack Coating Nylon Rack Coating Nylon Exterior Door and Handle Design Door and Handle Design Door Type Standard Door Type Standard Tub Ooltage Rating Voltage Rating Standard No Certifications and Approvals UL Listed No Safety Certifications and Approvals UL Listed Yes Control Location Top Delay Start Hours Dimensions and Volume Minimum Height Sa 33/4"	Place Setting Capacity	14	Lower Rack	
Middle Spray Arm Bi-Beam Rack Type Deluxe Upper Spray Arm Spray Arm Tub Color Stainless Steel Third Level Rack Yes Tub Design Tall Tub Third Level Rack Yes Tub Material Stainless Steel Rack Coating Nylon Wash Levels 5 Rack Coating Nylon Wash System Direct Feed Exterior Exterior Water Pressure 120 psi Door and Handle Design Pocket Drying System Fan Assist Electrical Specifications Fandard Heated Dry Yes Voltage Rating 120 V Start/Cancel Yes ADA Compliant No Upper Rack ADA Compliant No Rack Coating Nylon Safety Certifications and Approvals Control S UL Listed Yes Control Location Top NSF Certified Yes Dial Start Hours 1-24 Hours NSF Certified Yes	Smart Soil Sensor	Yes	Number of Silverware Basket	1
Upper Spray Arm Tub Color Stainless Steel Tub Design Tub Design Tub Material Stainless Steel Wash Levels Wash System Water Pressure Direct Feed Door and Handle Design Door Type Standard Door Type Standard Standard Pocket Door Type Standard Certrical Specifications Voltage Rating Voltage Rating Door Door Door Delay Certifications and Approvals UL Listed Ves ETL Listed Ves Direct Feed Voltage Rating Ves ETL Listed Ves ETL Listed Ves Direct Feed Ves Direct Feed Ves ETL Listed Ves Direct Feed Ves ETL Listed Ves Direct Feed Ves ETL Listed Ves Direct Feed Nylon Voltage Rating Ves Direct Feed Ves Door Type	Lower Spray Arm	Blade	Rack Coating	Nylon
Tub Color Stainless Steel Third Level Rack Yes Tub Design Tall Tub Third Level Rack Yes Tub Material Stainless Steel Rack Coating Nylon Wash Levels 5 Nylon Wash System Direct Feed Exterior Water Pressure 120 psi Door and Handle Design Pocket Door Type Standard Drying System Fan Assist Electrical Specifications Heated Dry Yes Voltage Rating 120 V High Temperature Yes Certifications and Approvals No Start/Cancel Yes Certifications and Approvals No Upper Rack Nylon No No Control S To Nylon No Control Location Top NSF Certified Yes Object Yes Yes Yes Will Listed Yes Yes NSF Certified Yes NSF Certified Yes NSF Certifications and Yes	Middle Spray Arm	Bi-Beam	Rack Type	Deluxe
Tub Design Tall Tub Third Level Rack Tub Material Stainless Steel Wash Levels S Wash System Direct Feed Water Pressure Dishwasher Options Drying System Fan Assist Heated Dry High Temperature Start/Cancel Yes Ves Upper Rack Rack Coating Nylon Safety Certifications and Approvals UL Listed Fill Listed Tyes Control Location Delay Start Hours Tibl Level Rack Rack Coating Nylon Exterior Door and Handle Design Door Type Standard Door Type Standard Pocket Door Type Standard Pocket Door Type Standard Certifications Nolotage Rating Ves Certifications and Approvals ADA Compliant No Safety Certifications and Approvals UL Listed Yes Til Listed Yes Standard Yes Set Certifications and Approvals UL Listed Yes Til Listed Yes Sign Yes Til Listed Yes Til	Upper Spray Arm	Spray Arm		
Tub Design Tall Tub Stainless Steel Rack Coating Nylon Wash Levels 5 Wash Levels Direct Feed Water Pressure 120 psi Door and Handle Design Door Type Standard Dishwasher Options Drying System Yes Heated Dry Yes Start/Cancel Yes Lupper Rack Rack Coating Nylon Safety Certifications and Approvals ADA Compliant No Controls Control Location Top Delay Start Hours 1-24 Hours Third Level Rack Yes Rack Coating Nylon Exterior Door and Handle Design Pocket Door Type Standard Exterior Door and Handle Design Pocket Door Type Standard Control Serving Rating 120 V Certifications and Approvals UL Listed Yes UL Listed Yes Top NSF Certified Yes NSF Certified Yes NSF Certified Yes Dimensions and Volume Minimum Height 33 3/4"	Tub Color	Stainless Steel	Third Level Rack	
Tub MaterialStainless Steel Wash LevelsRack CoatingNylonWash SystemDirect FeedExteriorWater Pressure120 psiDoor and Handle DesignPocketDoor TypeStandardElectrical SpecificationsUsigh TemperatureYesVoltage Rating120 VStart/CancelYesCertifications and ApprovalsUpper RackNoADA CompliantNoRack CoatingNylonSafety Certifications and ApprovalsControlsTopSafety Certifications and ApprovalsControl LocationTopNSF CertifiedYesDimensions and VolumeNSF CertifiedYesMinimum Height33 3/4"	Tub Design	Tall Tub		Yes
Wash Levels Water Pressure Direct Feed Water Pressure Dishwasher Options Drying System Heated Dry High Temperature Start/Cancel Yes Controls Controls Controls Controls Controls Control Location Dimensions and Volume Minimum Height Mater Pressure Direct Feed Direct Feed Exterior Door and Handle Design Door and Handle Design Door Type Standard Control Heated Dry Door Type Startor Control Location Dimensions and Volume Minimum Height Exterior Door and Handle Design Door and Handle Design Door and Handle Design Door Type Startor Control Heated Dry Standard Control Heated Dry Yes Certifications ADA Compliant No No Safety Certifications and Approvals UL Listed Yes ETL Listed Yes NSF Certified Yes NSF Certified Yes	Tub Material	Stainless Steel		
Exterior Door and Handle Design Door Type Standard	Wash Levels	5	Tueli Couling	11,91011
Mater Pressure 120 psi Door and Handle Design Pocket Door Type Standard	Wash System	Direct Feed	Exterior	
Dishwasher Options Drying System Fan Assist Heated Dry Yes High Temperature Yes Start/Cancel Yes Upper Rack Rack Coating Nylon Controls Control Location Top Dishwasher Options Top Dishwasher Options Drying System Fan Assist Fan Assist Stert/cancel Yes Certifications and Approvals UL Listed Yes UL Listed Yes ETL Listed Yes NSF Certified Yes NSF Certified Yes Top NSF Certified Yes Dimensions and Volume Minimum Height Dishwasher Option Fan Assist Fan Assist Flectrical Specifications 120 V Certifications and Approvals UL Listed Yes Fan Assist Flectrical Specifications Yolkage Rating 120 V Safety Certifications and Approvals Fan Assist Voltage Rating Flectrical Specifications 120 V Pos Certifications and Approvals Fan Assist Flectrical Specifications Fl	Water Pressure	120 psi		Pocket
Dishwasher Options Drying System Fan Assist Heated Dry High Temperature Start/Cancel Yes Certifications and Approvals ADA Compliant No Controls Control Location Control Location Delay Start Hours Dimensions and Volume Minimum Height Fan Assist Electrical Specifications Voltage Rating Light Typer Voltage Rating ADA Compliant No Certifications and Approvals UL Listed Field Yes ETL Listed Yes NSF Certified Yes NSF Certified Yes NSF Certified Yes				
Drying System Fan Assist Heated Dry Yes High Temperature Yes Start/Cancel Yes Upper Rack Rack Coating Nylon Controls Control Location Top Delay Start Hours Pinensions and Volume Minimum Height Rask Sist Yes Voltage Rating Voltage Rating Nolo Certifications and Approvals Voltage Rating Voltage Rating Voltage Rating Voltage Rating Yes Certifications and Approvals LUL Listed Fan Assist Voltage Rating Voltage Rating No Safety Certifications and Approvals Ves ETL Listed Yes NSF Certified Yes NSF Certified Yes	Dishwasher Options		5001 Type	Standard
Heated Dry High Temperature Start/Cancel Yes Certifications and Approvals ADA Compliant No Safety Certifications and Approvals UL Listed Controls Control Location Delay Start Hours Voltage Rating Yoltage Rating Light Temperature Yes Certifications and Approvals UL Listed Yes ETL Listed NSF Certified Yes NSF Certified Yes NSF Certified Yes		Fan Assist	Floatrical Specifications	
High Temperature Start/Cancel Yes Upper Rack Rack Coating Nylon Controls Control Location Delay Start Hours Pigh Temperature Yes Certifications and Approvals ADA Compliant No Safety Certifications and Approvals UL Listed Yes ETL Listed Yes NSF Certified Yes NSF Certified Yes NSF Certified	Heated Dry	Yes		120 37
Upper Rack Rack Coating Nylon Safety Certifications and Approvals UL Listed ETL Listed Yes Ontrol Location Delay Start Hours Ves Minimum Height 33 3/4" Certifications and Approvals UL Listed Yes ETL Listed Yes NSF Certified Yes Yes NSF Certified	High Temperature	Yes	voitage Katilig	120 V
Upper Rack Rack Coating Nylon Controls Control Location Delay Start Hours ADA Compliant No Safety Certifications and Approvals UL Listed Yes ETL Listed Yes NSF Certified Yes NSF Certified Yes NSF Certified Yes NSF Certified Yes	Start/Cancel	Yes	Contifications and Assessed	
Controls Control Location Delay Start Hours Nylon Safety Certifications and Approvals UL Listed Yes ETL Listed Yes NSF Certified Yes NSF Certified Yes Yes Yes SF Certified Yes SF Certified Yes NSF Certified Yes				2.7
Rack Coating Nylon Safety Certifications and Approvals UL Listed Yes ETL Listed Yes ETL Listed Yes NSF Certified Yes NSF Certified Yes NSF Certified Yes NSF Certified Yes	Upper Rack		ADA Compilant	INO
Controls Control Location Delay Start Hours Dimensions and Volume Minimum Height UL Listed Yes ETL Listed Yes NSF Certified Yes ETL Listed Yes ETL Listed Yes ETL Listed Yes ETL Listed Yes SF Certified Yes ETL Listed Yes ETL Listed Yes ETL Listed Yes NSF Certified Yes		Nylon		
Controls Control Location Delay Start Hours Top NSF Certified Yes NSF Certified Yes NSF Certified Yes NSF Certified Yes				
Control Location Top Delay Start Hours 1-24 Hours Pimensions and Volume Minimum Height 33 3/4" ETL Listed Yes NSF Certified Yes Yes	Controls			
Delay Start Hours 1-24 Hours NSF Certified Yes Dimensions and Volume Minimum Height 33 3/4"		Top		
Dimensions and Volume Minimum Height 33 3/4"	Delay Start Hours		NSF Certified	Yes
Minimum Height 33 3/4"				
Minimum Height 33 3/4"	Dimensions and Volume			
		33 3/4"		
· · · · · · · · · · · · · · · · · · ·	Maximum Height	35 3/4"		

24" 24"

50 1/4"

24" Stainless Steel Tub Built-In Dishwasher	Dishwasher
Available Products: FDSP4501AS	Available Colors: Stainless Steel
Version: 07/23	

General Specifications

Sound Level	49 dBA
Annual Energy	240 kWh
Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Parts	1 Year

Performance Certifications and Approvals

CEE Tier	Tier 1
ENERGY STAR Certified	Yes

24" Stainless Steel Tub Built-In Dishwasher

Dishwasher

Available Products: FDSP4501AS

Available Colors: Stainless Steel

Version: 07/23

Installation Diagram



