

## 27 135 Shower Head



### Description

---

6 1/4" face  
4 spray patterns  
1/2" NPT Female Threads  
GROHE DreamSpray® Technology  
SpeedClean® Anti-Lime System

### Flow Rate

---

N/A

### Code Compliance


---

ASME/ANSI A112.18.1M

### Finish Options

---

27 135 OOO Starlight® Chrome  
27 135 BEO Sterling Infinity Finish  
27 135 ENO Infinity Brushed Nickel  
27 135 ZBO Oil Rubbed Bronze



# Accessories 27 414

## Tubular shower arm



### Description

5 5/8" tubular shower arm  
with flange  
1/2" male threads

### Flow Rate


N/A

### Code Compliance

\* ASME/ANSI A112.18.M

### Finish Options

27 414 000 Chrome



# Atrio 19 168

## Integrated thermostat trim



### Description

Integrated volume and temperature control  
Lever handle volume control  
Lever handle temperature control

For use with Grotherm 34 909 or 34 126  
Integrated thermostatic rough-in valves

Note: Recommended for shower installations

### Flow Rate

NA

### Code Compliance

- \* ASME/ANSI A112.18.M
- \* ADA Compliant

### Finish Options

- 19 168 OOO Chrome
- 19 168 AVO Infinity Satin Nickel
- 19 168 BEO Sterling Infinity Finish
- 19 168 ENO Infinity Brushed Nickel

