

Lighting Your Life Since 1970

Product Specifications - 24108CFGF		
Job Name:	Job Type:	
Quantity:	Comments	



24108CFGF

Beaumont 3-Light Chandelier

Finish Golden Fawn

Lamping

=amping	
Number of Bulbs	3
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	300
Rated Life	±2,500 Hours
Rated Lumens	±3,450
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

G	lass	/SI	nac	de
_	-			

Cafe

fe	Mini Chand

Measurements

medouremento	
Width	18.5"
Height	22.0"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	11.6 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	36"
Wire Length	180"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

idelier

Shinning

Shipping	
Carton Weight	11.6 lbs
Carton Width	22"
Carton Height	11'
Carton Length	22"
Carton Cubic Feet	3.08
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Other Dry UPC Code Safety Rating **Energy Star** Shades Included No CA Title 24 Crystals Included No CA Title 20 No Diffuser Included ADA Conversion Kit No Dark Sky N/A Material

Equivalents

783209058729

N/A

N/A

N/A

N/A

Steel

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.