

DESCRIPTION

 Metal construction with a chrome plated, LifeShine® Polished Brass, Satine™, Classic Gold, Black Opal, Platinum or Glacier finish.

OPERATION


- Pull-on/push-off operation of temperature and volume. rotational control of transfer valve
- Temperature operates through an 180° arc of handle travel (full cold to full hot)
- Adjustable temperature limit stop to control maximum hot water temperature
- 180° rotation of transfer valve handle with stops
- Pressure balancing mechanism maintains selected discharge temperature to ± 2°

STANDARDS

• Third party certified by CSA to meet CSA B-125, ASME A112.18.1M

WARRANTY


- · Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations



MONTICELLO® MOENTROL® with Built-In 3 Function Transfer Valve Trim

Models: RT4110, RT4110P, RT4110PM, RT4110ST, RT4110BP, RT4110CG, T4110W

> NOTE: See reverse side for illustrated parts



THICK WALL APPLICATION

CRITICAL DIMENSIONS (DO NOT SCALE)

THIN WALL APPLICATION



Order by Part Name and

Part Number (Bold Face Type)

* See Chart on Next Page for Other Available Finishes


MONTICELLO® MOENTROL® with Built-In 3 Function Diverter Shower Valve Trim MODEL HANDLE TYPE FINISH RT4110 Lever/Knob Chrome RT4110P Lever/Knob Polished Brass

RT4110PM Lever/Knob **Platinum** Replacement Cartridge **RT4110BP** Lever/Knob Black Opal™ 1225 or 1200 Classic Gold **RT4110CG** Lever/Knob **RT4110ST** Lever/Knob Satine™ Retainer Clip Lever/Knob T4110W **Glacier** 883 Replacement Cartridge 1200 only Stop Tube Kit 100024 Escutcheon Screws (2) 104243 Handle Adapter & Screw 100202 Stop Tube Kit * Mounting Cup Screw 104249 100203 94791 Retainer Mounting Plate Screws (2) 115074 104247 * Handle Hub & Screw 100204 Coupling & Screw 104248 Set Screw 100205 * Escutcheon * Handle Insert 100210 Chrome 100207 * Handle Base * Escutcheon Retainer 100208 104245 Chrome Retainer 1" Extension Kit Screws (2) 110317 104247 Handle Cap Set Screw Screws (2) 100206 13903 * Handle Cap & Screws 100209 Chrome



Available Finishes

*Part Finishes Chart



100210 100210P 100210ST 100210BP 100210CG 100210PM

100210W

Chrome Polished Brass Satine Black Opal Classic Gold Platinum Glacier

Handle Hub & Screw



100204 100204P 100204ST 100204BP 100204CG 100204PM 100204W

Chrome Polished Brass Satine Black Opal Classic Gold Platinum Glacier

Escutcheon Retainer



104245 104245P 104245ST

Chrome Polished Brass Satine Black Opal Classic Gold Platinum

Handle Insert



100207 100207P 100207ST 100207BP 100207CG 100207PM 100207W

Chrome Polished Brass Satine Black Opal Classic Gold Platinum Glacier



104245BP 104245CG 104245PM 104245W

Glacier


Handle Base



100208 100208P 100208ST 100208BP 100208CG 100208PM 100208W

Chrome Polished Brass Satine Black Opal ClassicGold Platinum Glacier

Handle Cap & **Screws**



100209 100209P 100209ST 100209BP 100209CG 100209PM 100209W

Chrome Polished Brass Satine Black Opal Classic Gold Platinum Glacier

Mounting Cup




100203 100203P 100203ST 100203BP 100203CG 100203PM 100203W

Chrome Polished Brass Satine Black Opal ClassicGold Platinum Glacier

Monticello® Moentrol® 3-Function Transfer Valve Trim Kit Components

Select 1 from each column to make a complete faucet



Valve

3320 - IPS

3330 - CC



Core

RT4110-Chrome **RT4110P-Polished Brass** RT4110PM-Platinum RT4110BP-Black Opal RT4110CG-Classic Gold RT4110ST-Satine



Accent

AT4110-Chrome AT4110P-Polished Brass AT4110PM-Platinum AT4110BP-Black Opal AT4110CG-Classic Gold AT4110ST-Satine



DESCRIPTION

- · Metallic spray face and shell
- Brass swivel ball assembly
- Available in chrome plated, LifeShine® Polished Brass, Satine™, Black Opal, Classic Gold™, Nickel, Platinum or Glacier finish

OPERATION

FLOW

Single spray function


Designed to deliver 2.5 gpm max (9.5 L/min) at 80 psi

• Designed and manufactured to comply with the

requirements of: CSA B125 and ASME A112.18.1M and all requirements referenced therein


WARRANTY

Warranted for one year against material or manufacturing defects




Small Single Function Body Spray

Models: A499, A499P, A499W, A499PM, A499ST, A499BP, A499CG, A499NL



Large Single Function Body Spray

Models: A500, A500P, A500W, A500PM, A500ST, A500BP, A500CG, A500NL



CRITICAL DIMENSIONS

(DO NOT SCALE)



DESCRIPTION

- Metal construction with Chrome plating or decorative antique brass, chrome/LifeShine® polished brass, LifeShine® polished brass, sand or glacier finishes
- Fixed mount shower head, arm and flange
- Nonmetallic spray face
- · Brass shell and ball assembly

OPERATION

 Adjustable spray - rotate side lever to select coarse to fine spray

FLOW


Designed to deliver 2.5 gpm (9.5 L/min) at 60 psi

STANDARDS

 Designed and manufactured to comply with the requirements of: CSA B125 and ASME A112.18.1M and all requirements referenced


WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations



MOENFLO® 40 Head Arm and Flange

Models: 3941, 3941A, 3941CP, 3941P. 3941S and 3941W



CRITICAL DIMENSIONS

(DO NOT SCALE)