

UNF-0200 / UNF-0300

Nugget Ice Machines

Project
Item
Quantity
CSI Section 11400
Approved
Date
Date

Models

UNF-0200A

UNF-0300A





Model UNF-0200A Nugget Ice Machine

Model UNF-0300A Nugget Ice Machine

Standard Equipment

Ice Scoop, 6" Bin Legs, Alternate Low Profile Legs Standard Legs Adjustable from 4-1/2" to 6" and Low Profile Non-Adjustable at 1/4"

Ice Machine Electric

*115/60/1 (230/50/1 also available.) 115/60/1 ice machines are factory pre-wired with a 6' (180 cm) power cord and NEMA 5-15P plug configuration.

*230/50/1 ice machines are factory pre-wired with a 6' (180 cm) power cord with no plug.

Total ampacity:

Air-cooled: 10 amps.

Maximum fuse size:

Air-cooled: 15 amps.

HACR-type circuit breakers can be used • Water Pressure Ice Maker in place of fuses

Specifications

Condenser Heat of Rejection (BTU per hour):

2,400 (average) on RNS0244 and 3,500 (average) on RNS0385

Compressor:

Nominal rating: 1/4 HP on RNS0244 and 1/2 HP on RNS0385

Refrigerant:

R-404A

Operating Limits:

Tel: 1.920.682.0161

Fax: 1.920.683.7589

- Ambient Temperature Range: 50°-110°F (10°-43°C)
- · Water Temperature Range: 37°-90°F (3°-32°C)
- Water In: Min. 14 psi (96.5 kPA)

Max. 80 psi (551.6 kPA)

Standard Features

- · Bite-Size Nugget that boasts one of the industry's best ice to water ratios for nugget ice, maximizing cooling capability while minimizing drink dilution.
- Undercounter installation UNF-0200 for kitchen counters and UNF-0300 for bar height counters.
- Up to 300 lbs. (136 kgs) daily nugget ice production.
- Perfect for carbonated beverages, blended smoothies and healthcare/physical therapy.
- Up to 50 lbs. (23 kgs) ice storage capacity.
- · High load capacity bearings for enhanced reliability.
- · Heavy duty stainless steel cabinet resists corrosion.
- Easy access door, slides up & out of the way.



Ice Shape

Nugget ice consists of small pieces ranging from 3/8" to 1/2" in width and length on average. Offers a 85% ice to water ratio with a soft, chewable texture while still providing maximum cooling effect and great dispensibilty.








Installation Note Minimum installation clearance: Sides: 2" (5.10 cm) Back: 5" (12.70 cm)








Space-Saving Designs



	UNF-0200	UNF-0300					
Height	33.17"	39.52"					
	84.24 cm	100.4 cm					
Width	19.69"	29.06"					
	50.00 cm	73.81 cm					
Depth	25.98"	27.17"					
	66.00 cm	69.00 cm					
Bin	20 lbs.	50 lbs.					
Storage	9 kgs	23 kgs					
Height includes	Height includes adjustable bin legs 4.50" to 6.00"						
(11.43 cm to 15.24 cm) set at 6.00" (15.24 cm							

Air Flow Overhead View



			Ice Production 24 Hours		Power	Potable Water			
a		leo	7004:45005:14-4-4	000414/700514/444	kWh/100 lbs @ 90°Air/70°F	Usage (100 lbs./	Application	2017	2018 AHRI
₽.Ē		Ice	70°Air/50°F Water	90°Air/70°F Water	@ 90 AII//0 F	(.201 001)	Application	AHRI	AHKI
Cooled Machine	Model	Shape	21°Air/10°C Water	32°Air/21°C Water	32°Air/21°C	45.4 kgs of Ice)	Capacity*	Capacity**	Capacity***
Air-C		Nugget 187 lbs. 85 kg	187 lbs.	147 lbs.	7.82	12 gal.	30lbs.	20lbs.	1.03 Cu. ft
7 2			85 kg	67 kg		45.4 L	14 lbs.	9 kg	23 kg
	UNF-0300 Nugget	300 lbs.	248 lbs.	6.89	12 gal.	60 lbs.	50 lbs.	2.04 Cu. ft	
		Nugget	136 kg	112 kg	0.89	45.4 L	27 lbs.	23 kg	0.06

(15.24 cm)

Welbilt reserves the right to make changes to the design or specifications without prior notice.

Tel: 1.920.682.0161

Fax: 1.920.683.7589



[&]quot;A" following model number indicates "Air" condensing unit.

^{*}Application capacity is based on 90% of the volumenx 33lbs/ft3 average density of ice must be managed

^{**2017} Approved AHRI capacity is based on 80% of the total volumen x 30 lbs/ft3 average density of ice

^{***2018} AHRI certified measurement for bin capacity