### SUMMIT

## SCFF1533B



34" x 14.75" x 22.75" (H x W x D)

15" wide frost-free freezer for built-in or freestanding use, with lock and digital thermostat; replaces SCFF1537B

### **Highlights:**

Just under 15" wide for an easy fit, with a flush back design to save space

Fully frost-free for low maintenance operation

Flexible design allows built-in or freestanding use under counters

#### **Product Features:**

Commercially approved	ETL-S listed to ANSI-NSF Standard 7 for use in commercial establishments	
Built-in capable	Make the best use of space by installing your appliance under the counter	
Frost-free operation	Eliminates the need to manually defrost the interior	
Digital thermostat	Electronic controls for precise temperature management.	
Factory installed lock	Keyed security on the door	
Digital display	Temperature readout can be shown in Celsius or Fahrenheit	
LED lighting	Gentle illumination with an on/off switch	
Adjustable chrome shelves	Rearrange interior space to accommodate all sizes or remove shelves for simple cleanup	
Reversible door	Keep your options flexible with a reversible door that is easy to switch when your arrangement changes	








### **SCFF1533B Specifications:**

Overview	
Height of Cabinet	34.0" (86 cm)
Width	14.75" (37 cm)
Depth	22.75" (58 cm)
Depth with Handle	24.63" (63 cm)
Depth with door at 90°	36.25" (92 cm)
Capacity	2.45 cu.ft. (69 L)
Defrost Type	Frost-Free
Door	Black
Cabinet	Black
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Sanitation	ETL-S
Energy Usage/Year	320.0kWh/year
Amps	0.8
Voltage/Frequency	115 V AC/60 Hz
Weight	63.0 lbs. (29 kg)
Shipping Weight	66.0 lbs. (30 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101038490
Freezer	761101038490
	761101038490 RHD
Freezer	
Freezer  Door Swing	RHD
Freezer  Door Swing  Reversible	RHD Yes
Freezer  Door Swing  Reversible  Interior Height	RHD Yes 25.25" (64 cm)
Freezer  Door Swing  Reversible  Interior Height  Interior Width	RHD Yes 25.25" (64 cm) 10.25" (26 cm)
Freezer  Door Swing  Reversible  Interior Height  Interior Width  Interior Depth	RHD Yes 25.25" (64 cm) 10.25" (26 cm) 16.38" (42 cm)
Freezer  Door Swing  Reversible  Interior Height  Interior Width  Interior Depth  Shelf Type	RHD Yes 25.25" (64 cm) 10.25" (26 cm) 16.38" (42 cm) Chrome
Freezer  Door Swing  Reversible  Interior Height  Interior Width  Interior Depth  Shelf Type  Shelf Qty	RHD Yes 25.25" (64 cm) 10.25" (26 cm) 16.38" (42 cm) Chrome
Freezer  Door Swing  Reversible  Interior Height  Interior Width  Interior Depth  Shelf Type  Shelf Qty  Adjustable Shelves	RHD Yes 25.25" (64 cm) 10.25" (26 cm) 16.38" (42 cm) Chrome 3 Yes
Freezer  Door Swing  Reversible  Interior Height  Interior Width  Interior Depth  Shelf Type  Shelf Qty  Adjustable Shelves  Thermostat Type	RHD Yes 25.25" (64 cm) 10.25" (26 cm) 16.38" (42 cm) Chrome 3 Yes Digital
Freezer  Door Swing  Reversible  Interior Height  Interior Width  Interior Depth  Shelf Type  Shelf Qty  Adjustable Shelves  Thermostat Type  Interior Light	RHD Yes 25.25" (64 cm) 10.25" (26 cm) 16.38" (42 cm) Chrome 3 Yes Digital Yes Interior and
Freezer  Door Swing  Reversible  Interior Height  Interior Width  Interior Depth  Shelf Type  Shelf Qty  Adjustable Shelves  Thermostat Type  Interior Light  Fan Type	RHD Yes 25.25" (64 cm) 10.25" (26 cm) 16.38" (42 cm) Chrome 3 Yes Digital Yes Interior and Exterior
Freezer  Door Swing  Reversible  Interior Height  Interior Width  Interior Depth  Shelf Type  Shelf Qty  Adjustable Shelves  Thermostat Type  Interior Light  Fan Type  Refrigerant Type	RHD Yes 25.25" (64 cm) 10.25" (26 cm) 16.38" (42 cm) Chrome 3 Yes Digital Yes Interior and Exterior R600a
Freezer  Door Swing  Reversible  Interior Height  Interior Width  Interior Depth  Shelf Type  Shelf Qty  Adjustable Shelves  Thermostat Type  Interior Light  Fan Type  Refrigerant Type  Refrigerant Amount	RHD Yes 25.25" (64 cm) 10.25" (26 cm) 16.38" (42 cm) Chrome 3 Yes Digital Yes Interior and Exterior R600a 0.88 oz.

Compressor Step Height	3.63" (9 cm)
Compressor Step Width	10.25" (26 cm)
Compressor Step Depth	4.63" (12 cm)
Temperature Range	-11°F to 11°F
Sabbath Mode	Yes



# TIMMUE

