

<del>=</del>  2	Contemporary Lighting™
-----------------	---------------------------

Product Specifications for E23131-10PC				
	Job Name:	Job Type:		
		, , , , , , , , , , , , , , , , , , ,		
	Quantity:	Comments		

E23131-10PC **Spiral 2-Light Wall Mount** 

**Finish** 

Polished Chrome

Lamping

Number of Bulb(s)	2
Light Type	Xenon
Bulb Type	G9
Max Bulb Wattage	60
Max Fixture Wattage	120
Rated Life	±2,000 Hours
Rated Lumens	±1,600
Color Temp	±2,900 K
Bulb(s) Included	Yes
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Glass/Shade

Other

**UPC Code** 

Material

Measurements	
ineasurentents	
Width	

wiath	7.50"
Height	15.00"
Length	N/A
Extension	3.75"
Back Plate Width	N/A
Back Plate Height	N/A
НСО	6.00"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	3.08 lb(s)
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

## **Product Category**

Wall Sconce

Shipping	
Carton Weight	4.18 lb(s)
Carton Width	10.04"
Carton Height	6.50"
Carton Length	14.17"
Carton Cubic Feet	N/A
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes
• •	

Certification

Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	Yes

**Equivalents** 

Metal

845094043553 Incandescent Watts N/A **Fluorescent Watts** N/A

ET2 Contemporary Lighting and all designs, logos and images © 2014 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.