## TRUE REFRIGERATION © INTERNATIONAL

UK Tel +44 (0) 1709 888 080 • Germany Tel +49 (0) 7622 6883 0 Australia Tel +61 2 9618 9999 • www.truemfg.com 5/21

Model: TWT-27-HC

## Worktop:


Solid Door Refrigerator with Hydrocarbon Refrigerant



## TWT-27-HC

- True's worktop units are designed with enduring quality that protects your long term investment.
- Designed using the highest quality materials and components to provide the user with colder product temperatures, lower utility costs, exceptional food safety and the best value in today's food service marketplace.
- Factory engineered, self-contained, capillary tube system using environmentally friendly R290 hydro carbon refrigerant that has zero (0) ozone depletion potential (ODP), & three (3) global warming potential (GWP).
- Extra large evaporator coil balanced with higher horsepower compressor and large condenser; maintains cabinet temperatures of .5°C to 3.3°C for the best in food preservation.
- All stainless steel front, top and ends. Matching aluminum finished back. Top and backsplash are one piece formed construction. Bacteria and food particles cannot be trapped underneath as with other two-piece worktop units.
- Interior attractive, NSF approved, clear coated aluminum liner. Stainless steel floor with coved corners.
- Heavy duty PVC coated wire shelves.
- Foamed-in-place using a high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).

## PLAN VIEW



ROUGH-IN D		Specifications subject to change without notice. Chart dimensions rounded up to the next whole millimeter (inches rounded up to the next $\%$ ").										
	Model			Cabinet Dimensions (mm)		nsions	Net Volume			24 hr/ Energy Consumption	Annual Energy Consumption	Crated Weight
Model	Туре	Doors	Shelves	W	D†	Н	(litres)	EEC	EEI	(kWh)	(kWh)	(kg)
TWT-27-HC	Counter Chilled	1	2	702	766	1007	143	Α	20.9	1.236	451	89

† Depth does not include 26mm for rear bumpers.

Test Standard: EN16825 - Climate Class 5 (40°C, 40% relative humidity).