# American Standard

# Available Trim Kits Colony Dazzle Hampton Standard Town Square Enfield Amarilis Amarilis Amarilis

R110 Valve Body Shown

#### **GENERAL DESCRIPTION:**

Cast brass body, washerless ceramic disc valve cartridge with back-to-back capability and hot limit safety stop. Cycles from "off" to "cold" to "hot". Pressure balancing cartridge maintains constant output temperature in response to changes in relative hot and cold supply pressure. One-half inch inlets and outlets (choice of direct sweat or threaded). Available with screwdriver stops. Rough-in plaster guard designed for use as thin-wall mounting adaptor. Valve body will accept a variety of decorative Bath/Shower trims.

#### **PRODUCT FEATURES:**

Cast Brass Valve Body: Durable - Quality that will last a lifetime. Ideal material for prolonged contact with water.

**Ceramic Disc Valve Cartridge:** Assures a lifetime of dripfree performance. Allows easy fine tuning of temperature (125°handle rotation from off to hot).

**Pressure Balancing Valve Cartridge:** Maintains constant output temperature in response to changes in hot and cold supply pressure. Diaphragm system engineered to eliminate cross flow. Avoids failure due to mineral deposits - ideal for use in hard water

**Back-to-Back Capability:** Hot and cold can be reversed quickly and easily.

**Adjustable Hot Limit Safety Stop:** Limits the amount of hot water allowed to mix with cold. Reduces the risk of accidental scalding.

**Exclusive Plaster Guard:** Plaster guard is designed to protect valve during installation and serve as a mounting plate for thin-wall installations. 2 piece design allows valve to be tested prior to trim installation.

Wide Rough-in Range: From 1-5/8" to 3-1/4".

# **UPGRADABLE**

PRESSURE BALANCE BATH/SHOWER FITTING
Temperature Control Valve

#### **MODEL NUMBER:**


- ☐ R110 Pressure Balance Rough Valve Body only Direct sweat inlets/outlets. LESS trim.
- ☐ R110SS Pressure Balance Rough Valve Body only with Screwdriver stops

Direct sweat inlets/outlets. Screwdriver stops. LESS trim.

- R115 Pressure Balance Rough Valve Body only Female thread inlets/outlets. LESS trim.
- R115SS Pressure Balance Rough Valve Body only with Screwdriver stops

Female thread inlets/outlets. Screwdriver stops. LESS trim.

See reverse for available trim kits.



#### SUGGESTED SPECIFICATION:

Bath/shower fitting shall feature a cast brass body. Shall feature ceramic disc valve cartridge which is capable of back-to-back installation. Fitting shall be equipped with pressure balancing cartridge engineered to eliminate cross flow and avoid failure due to mineral deposits. Shall also feature hot limit safety stop. Fitting shall be: Rough Valve Body - American Standard Model # R11\_\_\_\_\_, Trim Kit - American Standard Model # \_\_\_\_\_.

# American Standard

# **UPGRADABLE**


# PRESSURE BALANCE BATH/SHOWER FITTING Temperature Control Valve

### Valve + Trim: Trim Kit & Valve Body Packaged Separately

**To order:** Specify valve body **and** trim kit desired **Example:** R110 - Direct Sweat Valve Body

T215.701 - Hampton Bath/Shower Trim Kit (Porcelain Cross Handle)

# R110 R110SS R115 R115SS Direct Sweat Inlets/Outlets w/ Screwdriver Stops Permale Thread Inlets/Outlets w/ Screwdriver Stops




## **CODES AND STANDARDS**

These products meet or exceed the following codes and standards:

ASSE 1016 ASME A112.18.1 CSA B 125

• Showerhead with 2.5gpm/9.5L.min. flow restrictor


	Colony	Dazzle	Hampton**	Standard	Town Square	Enfield****	Amarilis***	Amarilis***
M KITS						63		
B/S	T375.120	T028.502	T215.7XX	T6181	T555.502	T373.5X1	T335.000	T345.000
Shower	T372.120	T028.501	T212.7XX	T6180	T555.501	T373.5X2	T332.000	T342.000
Valve	T371.120	T028.500	T211.7XX	T6179	T555.500	T373.5X0	T331.000	T341.000





# TRIM KITS for Temperature Control Valves

Trim Kits for R110, R110SS, R115, R115SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.** 





# TRIM KITS for Temperature Control Valves


Trim Kits for R110, R110SS, R115, R115SS, R010, R015 rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.

Trim Kit	Model # Description	Finishes	Roughing-In Dimensions		
DAZZLE	T028.502 BATH/SHOWER Trim Kit  Metal Lever Handle Brass wall escutcheon Showerhead, arm and flange Slip-on diverter tub spout	.002 Polished Chrome .295 Satin (PVD)	FINISHED WALL  1/2" NPT  127mm (5) REF FLOOR USUALLY BETWEEN 65" AND 80"  137mm 137mm 137mm 137mm		
	T028.501 SHOWER ONLY Trim Kit  • Metal Lever Handle  • Brass wall escutcheon  • Showerhead, arm and flange	.002 Polished Chrome .295 Satin (PVD)	74° FOR HEAD CLEARANCE  18° OPTIONAL  3-3/4' MIN.  TOP OF TUB RIM  BOTTOM OF TUB  BOTTOM OF TUB		
	T028.500 VALVE ONLY Trim Kit  • Metal Lever Handle  • Brass wall escutcheon	.002 Polished Chrome .295 Satin (PVD)			
STANDARD	T6181 BATH/SHOWER Trim Kit				
	Metal wall escutcheon     Porcelain lever handle     5" adjustable showerhead     Cast brass diverter tub spout with I.P.S. connection	T6181 Polished Chrome T6181S Satin (PVD)	FINISHED 57mm - 83mm (2-1/4 - 3-1/4) WALL (5-1/8)REF		
	T6180 SHOWER ONLY Trim Kit  Metal wall escutcheon Porcelain lever handle 5" adjustable showerhead	T6180 Polished Chrome T6180S Satin (PVD)	191mm (7-1/2) REF. 1880mm (7-1/2) REF. 194mm (7-5/8) 194mm (7-5/8)		
	T6179 VALVE ONLY Trim Kit  • Metal wall escutcheon  • Porcelain lever handle	T6179 Polished Chrome T6179S Satin (PVD)	OPTIONAL 25mm (7-1/8)  102mm (4)  143mm (7-1/8)  TOP OF TUB RIM  OF TUB		
TOWN SQUARE	T555.502 BATH/SHOWER Trim Kit				
	Metal wall escutcheon     Metal lever handle     Cast brass shower arm     4 1/2" Rain showerhead     Cast brass diverter tub spout with I.P.S. connection	.002 Polished Chrome .099 Polished Brass (PVD) .295 Satin (PVD)	PRIGHED WALL  1-69" TO 3-14"  1-70" I.P.S.  2" FEF.  OPTIONAL TO I.SHINED BLOOM I.SHINED FLOOR		
	T555.501 SHOWER ONLY Trim Kit  • Metal wall escutcheon • Metal lever handle • Cast brass shower arm • 4 1/2" Rain showerhead	.002 Polished Chrome .099 Polished Brass (PVD) .295 Satin (PVD)	74 FOR HEAD CLEARANCE  74 FOR HEAD CLEARANCE  75 FOR HEAD CLEARANCE  7 FOR HEAD CLEARANCE		
	T555.500 VALVE ONLY Trim Kit  • Metal wall escutcheon  • Metal lever handle	.002 Polished Chrome .099 Polished Brass (PVD) .295 Satin (PVD)	TOP OF TUB RIM  BOTTOM OF TUB		

# American Standard

# TRIM KITS for Temperature Control Valves

Trim Kits for R110, R110SS, R115, R115SS, R010, R015 rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.



The above fittings will accept the following Amarilis-Series handles.

Metal Cross	Metal Lever	Porcelain Cross	Perfume Bottle	Metal Cross	Metal Lever	Porcelain Lever	Lexington	Triune Cross
451	441	461	431	551	541	571 E	901 911	861