



Lighting Your Life Since 1970

Product Specifications - 85544WTSN

Job Name:	Job Type:
Quantity:	Comments:



85544WTSN

Linear EE 2-Light Flush Mount

Also available in a LED version in the Linear LED collection. View it [here](#).

Finish
Satin Nickel

Glass/Shade
White

Product Category
Flush Mount

Lamping

Number of Bulbs	2
Light Type	Fluorescent
Bulb Type	G24q-3 Quad T4 CFL
Max Bulb Wattage	26
Max Fixture Wattage	52
Rated Life	±10,000 Hours
Rated Lumens	±3,600
Color Temp	±3,000 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	N

Measurements

Width	16.00"
Height	3.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	4.64 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping

Carton Weight	4.64 lbs
Carton Width	17"
Carton Height	5"
Carton Length	17"
Carton Cubic Feet	0.77
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No
Dark Sky	N/A

Other

UPC Code	783209093928
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Metal

Equivalents

Incandescent Watts	336
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.